




全球认证 本地化服务 Local Service For Global Certification

7月刊 · 2016年

NO. 55



EMC



安全



环境及能效



化学

华通威获评深圳市社会责任评价一星级企业

|03

它到了吗?

|05

华通威六大岗位火热招聘

|28

CNAS

A2LA

AQSIQ

IEC CB

CCIC

“

”

9 1

EMC

3 1

20

89

W

2015 4 15

4

95

W

2016

W

2016

7 20

Э

Ю

W

三





© 2013 Pearson Education, Inc. or its affiliate(s). All rights reserved. Pearson Education, Inc., publishing as Pearson Benjamin Cummings, 101 Philip Drive, Assinippi Park, New York, NY 10984-2135. Printed in the United States of America. This book is published under the name Pearson Education, Inc. or its affiliate(s) in all other countries.

“*W* hat ist das für ein *W*ort?”



ABS 4 PP



Ш

Ч

Ш

Ш

Ш

Ч

(Ч)

Ш

Ш



Ш
Ш

()





Ш

Ш



Ш

Ч

Ч

Ш


Ч

Ш




Ш





山 山 TSA TSA TSA TSA 山



— 20
115cm山 山



标准更新

为你带来全球最新的标准信息



中国 RoHS 《电器电子产品有害物质限制使用管理办法》于 7 月 1 日正式实施

RoHS	2016 7 1	W		
2	10'	4		
				4
4				4
4		W'		
4	SJ/T 11364-2014			
		4		
	"	4		
		4	4	
W	W'		SJ/T 11364-2014	
7 1		4	4	
W				

“

”

山

Ш

Ш

Ч

Ч

Ш

Ч

Ч

Ч

Ш

Э

Ю

Ш

Э

Ю

Ч

Ч

Ч

Ч

Ч

Ч

Ш

Ш

“

Ш

Ш”

Ш

Ш



Ч

Ч

Ч

Ш

Ш

Ш

Ш

Ш

Ш

Ш

Ч

Ч

Ч

Ч

Ч

Ч

Ш

4

ш

ш

4

“

”

”

“

”

4

“

”4

”

” ш

“

”



2016 7 1 Э
G-mark

Ю

2014/53/EU EN 300 220-1/-2

RED 2016.6.13

5.5	D-M3
5.6	D-M2, D-M2a, D-M3
5.7	D-M1, D-M2, D-M2a, D-M3
5.8	D-M2, D-M2a, D-M3
5.9	D-M1, D-M2, D-M2a, D-M3
5.10	D-M3
5.11	D-M2, D-M2a, D-M3
5.12	D-M1, D-M2, D-M2a, D-M3
5.14	D-M3
5.15	D-M3
5.16	D-M3
5.17	D-M3
5.18	D-M3
5.19	D-M3
5.20	D-M3
5.21	D-M3

Band AA, Adaptive Power Control()

Operational Frequency Band	Maximum Effective Radiated Power	Channel access and occupation rules	Addition al / other spectrum access paramete rs	Maximum occupied bandwidth
----------------------------------	---	--	---	----------------------------------

Operational Frequency Band		Maximum Effective Radiated Power	Channel access and occupation rules	Additional / other spectrum access parameters	Maximum occupied bandwidth	Other usage restriction	Notes	CEPT/ERC/REC 70-03 [i.1] implementation status
AB	915 MHz to 915,2 MHz	25 mW e.r.p.	0,1 % duty cycle For ER-GSM protection (918 MHz to 921 MHz, where applicable), the duty cycle is limited to 0.01% and limited to a maximum transmit on-time of 5 ms/1 s	DCT of 0,1 % respecting TXon 200 ms, TXoff 200ms Alternatively DCT of 10s/24h with TXon 800 ms, TXoff 200 ms	200 kHz		See note	20 %
AC	920,8 MHz to 921 MHz	25 mW e.r.p.	0,1 % duty cycle For ER-GSM protection (918 MHz to 921 MHz, where applicable), the duty cycle is limited to 0,01 % and limited to a maximum transmit on		200 kHz		See note	20 %

(a) REACH

2016 6 20 (ECHA) (a) (SVHC) (

) 169 0.1% (EEA)



45 0.1 %

(ECHA)

PAHS AfPS GS 2014:01 PAK REACH (EC) No. 1907/2006 XVII 50

	EC NO.	CAS NO.	
(a) Benzo[a]pyrene	200-028-5	50-32-8	

(a)



1


2016 7 13

Э

Ю

Ж 2016 з 3

[illegible]



Densely woven fabrics

Membranes

Coatings

Qualitex

Qualitex

PTFE

PU

BION

AkzoNobel

Sympatex

W.L.Gore

Gore-Tex

Microtex

20 80



Ш

GB4744-84(

—

Ч Ш
)Ш

Ш

Ч

Ш
Ш

Ш

Ш

Ш

Ш

Ш

Ч

Ч

Ч

Ч

Ч

Ч

Ш



2

o

—

—

EMC

1

Г

Д

IT ЧАВ

Ч

EMC

Ч

Ч

Ч

2

EMC

EMC

2

EMI Ч EMS

Ч

Ш

Ч

Ч

Ч

/

1

/

,

1

Ш

Ш

Ш

Ш

2

3

/

Ч

Ч IT Ч AV

Ч

Ш

Ш

Ш

EMC

1

EMC

EMC

2

EMC

EMC

EMC